



THE SYSTEMS
OF KEY INSERTS



Security level:
Class I according to EN 1143-1

Suitable for the storage of:

- keys
- documents
- valuables

Description

Safe4key I series - safe with ECB•S certificate, for storing keys, documents and valuables.

Body: multi-walled body

Door: multi-walled door construction

Locking: 4-way locking bolt system - incl. overlapping profile on the hinge side

Standard option

Lock: high security key lock I class VdS with three keys (95 mm) or electronic lock II class VdS

Boltwork handle: handle, protruding 12 mm

Hinges: external

Door opening angle: 180°

Mounting holes: 1 hole in the floor, 1 in the backwall (not drilled)

Paint: RAL 7024, RAL 7035

CAR KEY SYSTEM



3
KEYS
INCLUDED

INDIVIDUAL HOOKS
ARRANGEMENT
SYSTEM

REMOVABLE
HOOK
BARS

safe4key I





key lock



157000.11 / 157000.01

157001.11 / 157001.01

157002.11 / 157002.01



157003.11 / 157003.01

157004.11 / 157004.01

Outer dimensions HxWxD (mm)	440 x 330 x 165	400 x 400 x 270	400 x 420 x 420	400 x 420 x 420	500 x 500 x 420
Weight	30 kg	42 kg	67 kg	67 kg	88 kg
Insert type	-	-	A	AS	B
Number of hook bars (pcs.)	1* + Individual hooks arrangements system	7	20	12	35
Number of hooks on the bar (pcs.)	5	10 x 4 + 8 x 3	8	6	8
Number of walls (pcs.)	-	-	4	3	5
Number of hooks total (pcs.)	5 + Individual hooks arrangements system	64	160	72	280
Number of shelves (pcs.)	-	-	-	-	-
Lock type			key lock (3 keys included)		
Paint			RAL 7024 / RAL 7035		

* hook bar for self-assembly



key lock



157005.11 / 157005.01

157006.11 / 157006.01

157007.11 / 157007.01



157008.11 / 157008.01

157009.11 / 157009.01

Outer dimensions HxWxD (mm)	500 x 500 x 420	650 x 500 x 420	650 x 500 x 420	650 x 500 x 420	800 x 500 x 420
Weight	88 kg	107 kg	102 kg	107 kg	117 kg
Insert type	BS	C	B	CS	B
Number of hook bars (pcs.)	24	55	35	32	35
Number of hooks on the bar (pcs.)	6	8	8	6	8
Number of walls (pcs.)	4	5	5	4	5
Number of hooks total (pcs.)	144	440	280	192	280
Number of shelves (pcs.)	1	-	1	-	1
Lock type			key lock (3 keys included)		
Paint			RAL 7024 / RAL 7035		



All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

**** changes in inner equipment, locks or dimensions - please contact us**



key lock



157010.11 / 157010.01



157011.11 / 157011.01



157012.11 / 157012.01



157013.11 / 157013.01

Outer dimensions HxWxD (mm)	800 x 500 x 420	800 x 500 x 420	1000 x 500 x 420	1000 x 500 x 420
Weight	122 kg	130 kg	159 kg	142 kg
Insert type	C	D	B+C	C
Number of hook bars (pcs.)	55	75	90	55
Number of hooks on the bar (pcs.)	8	8	8	8
Number of walls (pcs.)	5	5	10	5
Number of hooks total (pcs.)	440	600	720	440
Number of shelves (pcs.)	1	-	-	1
Lock type	key lock (3 keys included)			
Paint	RAL 7024 / RAL 7035			



key lock



157014.11 / 157014.01



157015.11 / 157015.01



157016.11 / 157016.01



157017.11 / 157017.01

Outer dimensions HxWxD (mm)	1000 x 500 x 420	1000 x 500 x 420	1150 x 500 x 420	1150 x 500 x 420
Weight	137 kg	150 kg	179 kg	157 kg
Insert type	B	D	C+C	C
Number of hook bars (pcs.)	35	75	110	55
Number of hooks on the bar (pcs.)	8	8	8	8
Number of walls (pcs.)	5	5	10	5
Number of hooks total (pcs.)	280	600	880	440
Number of shelves (pcs.)	2	1	-	2
Lock type	key lock (3 keys included)			
Paint	RAL 7024 / RAL 7035			





key lock



157018.11 / 157018.01

157019.11 / 157019.01

157020.11 / 157020.01

157021.11 / 157021.01

Outer dimensions HxWxD (mm)	1150 x 500 x 420	1150 x 500 x 420	1150 x 500 x 420	1300 x 500 x 420
Weight	152 kg	169 kg	165 kg	194 kg
Insert type	B	B+B	D	C+C
Number of hook bars (pcs.)	35	70	75	110
Number of hooks on the bar (pcs.)	8	8	8	8
Number of walls (pcs.)	5	10	5	10
Number of hooks total (pcs.)	280	560	600	880
Number of shelves (pcs.)	2	1	1	1
Lock type	key lock (3 keys included)			
Paint	RAL 7024 / RAL 7035			



key lock



157022.11 / 157022.01

157023.11 / 157023.01

157024.11 / 157024.01

157025.11 / 157025.01

Outer dimensions HxWxD (mm)	1300 x 500 x 420	1300 x 500 x 420	1300 x 500 x 420	1300 x 500 x 420
Weight	172 kg	167 kg	184 kg	202 kg
Insert type	C	B	B+B	C+D
Number of hook bars (pcs.)	55	35	70	130
Number of hooks on the bar (pcs.)	8	8	8	8
Number of walls (pcs.)	5	5	10	10
Number of hooks total (pcs.)	440	280	560	1040
Number of shelves (pcs.)	2	3	1	-
Lock type	key lock (3 keys included)			
Paint	RAL 7024 / RAL 7035			



All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

**** changes in inner equipment, locks or dimensions - please contact us**

